

Number of Participating Schools = 27

THE FOLLOWING EXPOSURE NUMBERS WERE USED TO CALCULATE THE RATES REPORTED FOR ALL SCHOOLS

ABSOLUTE # OF GAMES	383
ABSOLUTE # OF PRACTICES	1,726
GAME AWAY EXPOSURES	4,861
GAME HOME EXPOSURES	3,991
GAME SEASON-POST EXPOSURES	566
GAME SEASON-PRE EXPOSURES	65
GAME SEASON-REGULAR EXPOSURES	8,213
GAME SURFACE ARTIFICIAL EXPOSURES	4,123
GAME SURFACE NATURAL EXPOSURES	4,801
GAME TOTAL EXPOSURES	8,924
PRACTICE SEASON-POST EXPOSURES	2,835
PRACTICE SEASON-PRE EXPOSURES	20,836
PRACTICE SEASON-REGULAR EXPOSURES	32,591
PRACTICE SURFACE ARTIFICIAL EXPOSURES	23,881
PRACTICE SURFACE NATURAL EXPOSURES	20,779
PRACTICE SURFACE NON-GRASS EXPOSURES	11,722
PRACTICE TOTAL EXPOSURES	56,382
TOTAL EXPOSURES	65,306
TOTAL SEASON-POST EXPOSURES	3,401
TOTAL SEASON-PRE EXPOSURES	20,901
TOTAL SEASON-REGULAR EXPOSURES	40,804
TOTAL SURFACE ARTIFICIAL EXPOSURES	28,004
TOTAL SURFACE NATURAL EXPOSURES	25,580
TOTAL SURFACE NON-GRASS EXPOSURES	11,722

NCAA MEN'S LACROSSE INJURY SURVEILLANCE SYSTEM
FOR ACADEMIC YEAR 2003-2004
TOTAL OF ALL SCHOOLS

		# of INJ.	<u>PRACTICE TOTALS</u>		# of INJ.	<u>GAME TOTALS</u>	
			# of EXP.	INJ. RATE		# of EXP.	INJ. RATE
1. Year	1. Freshman	61	0	.00	23	0	.00
	2. Sophomore	49	0	.00	28	0	.00
	3. Junior	42	0	.00	23	0	.00
	4. Senior	44	0	.00	26	0	.00
	5. Fifth Year	5	0	.00	2	0	.00
	TOTALS:	201	0	.00	102	0	.00
6. Injury occurred in:	1. Competition-varsity	0	0	.00	103	8,924	11.54
	2. NOT APPLICABLE	0	0	.00	0	0	.00
	3. Practice	203	56,382	3.60	0	0	.00
	99. Other	0	0	.00	0	0	.00
	TOTALS:	203	56,382	3.60	103	8,924	11.54
7. This injury is a:	1. New injury	172	56,382	3.05	88	8,924	9.86
	2. Recurrence of injury from this season	10	56,382	.18	5	8,924	.56
	3. Recurrence injury from previous season	14	56,382	.25	8	8,924	.90
	4. Complication of previous injury (this sport)	5	56,382	.09	1	8,924	.11
	5. Recurrence of other sport injury	0	56,382	.00	1	8,924	.11
	6. Recurrence of nonsport injury	2	56,382	.04	0	8,924	.00
	7. Complicaton previous other sport injury	0	56,382	.00	0	8,924	.00
	TOTALS:	203	56,382	3.60	103	8,924	11.54
8. Unrelate injury recorded this season?	1. Yes	17	56,382	.30	22	8,924	2.47
	2. No	185	56,382	3.28	81	8,924	9.08
	TOTALS:	202	56,382	3.58	103	8,924	11.54
9. How long did injury keep from participating in spo	1. 1-2 days	56	56,382	.99	26	8,924	2.91
	2. 3-6 days	75	56,382	1.33	27	8,924	3.03
	3. 7-9 days	27	56,382	.48	14	8,924	1.57
	4. 10 days or more	45	56,382	.80	36	8,924	4.03
	5. Catastrophic nonfatal	0	56,382	.00	0	8,924	.00
	6. Fatal	0	56,382	.00	0	8,924	.00
	TOTALS:	203	56,382	3.60	103	8,924	11.54

NCAA MEN'S LACROSSE INJURY SURVEILLANCE SYSTEM
FOR ACADEMIC YEAR 2003-2004
TOTAL OF ALL SCHOOLS

	# of INJ.	<u>PRACTICE TOTALS</u>		# of INJ.	<u>GAME TOTALS</u>		
		# of EXP.	INJ. RATE		# of EXP.	INJ. RATE	
10. Weather/field condition							
1.No precipitation	95	0	.00	81	0	.00	
2.Rain	1	0	.00	8	0	.00	
3.Snow	4	0	.00	1	0	.00	
4.Indoor	79	0	.00	2	0	.00	
5.No precipitation/wet field	22	0	.00	11	0	.00	
99.Other	0	0	.00	0	0	.00	
	TOTALS:	201	0	.00	103	0	.00
11. This injury involved (circle one):							
1.Contact with another competitor	59	56,382	1.05	46	8,924	5.15	
2.Contact with playing surface	20	56,382	.35	11	8,924	1.23	
3.Contact with apparatus/ball	27	56,382	.48	17	8,924	1.90	
4.Contact with other in environment (wall, fence	1	56,382	.02	1	8,924	.11	
5.No apparent contact (rotation about planted fo	34	56,382	.60	16	8,924	1.79	
6.No apparent contact (other)	57	56,382	1.01	11	8,924	1.23	
7.No apparent contact (pulled muscle)	0	56,382	.00	0	8,924	.00	
99.Other	5	56,382	.09	1	8,924	.11	
	TOTALS:	203	56,382	3.60	103	8,924	11.54

NCAA MEN'S LACROSSE INJURY SURVEILLANCE SYSTEM
FOR ACADEMIC YEAR 2003-2004
TOTAL OF ALL SCHOOLS

	# of INJ.	PRACTICE TOTALS		# of INJ.	GAME TOTALS	
		# of EXP.	INJ. RATE		# of EXP.	INJ. RATE
12. Principal body part injured						
1.Head	23	56,382	.41	9	8,924	1.01
2.Eye(s)	0	56,382	.00	0	8,924	.00
3.Ear(s)	0	56,382	.00	0	8,924	.00
4.Nose	0	56,382	.00	1	8,924	.11
5.Face	0	56,382	.00	0	8,924	.00
6.Chin	1	56,382	.02	1	8,924	.11
7.Jaw (TMJ)	1	56,382	.02	0	8,924	.00
8.Mouth	0	56,382	.00	0	8,924	.00
9.Teeth	0	56,382	.00	1	8,924	.11
10.Tongue	0	56,382	.00	0	8,924	.00
11.Neck	3	56,382	.05	0	8,924	.00
12.Shoulder	8	56,382	.14	15	8,924	1.68
13.Clavicle	3	56,382	.05	4	8,924	.45
14.Scapula	0	56,382	.00	1	8,924	.11
15.Upper arm	1	56,382	.02	0	8,924	.00
16.Elbow	3	56,382	.05	1	8,924	.11
17.Forearm	1	56,382	.02	2	8,924	.22
18.Wrist	2	56,382	.04	1	8,924	.11
19.Hand	2	56,382	.04	1	8,924	.11
20.Thumb	6	56,382	.11	6	8,924	.67
21.Finger(s)	0	56,382	.00	2	8,924	.22
22.Upper Back	3	56,382	.05	0	8,924	.00
23.Spine	0	56,382	.00	0	8,924	.00
24.Lower Back	3	56,382	.05	1	8,924	.11
25.Ribs	3	56,382	.05	4	8,924	.45
26.Sternum	0	56,382	.00	0	8,924	.00
27.Stomach	0	56,382	.00	0	8,924	.00
28.Pelvis, Hips, Groin	19	56,382	.34	4	8,924	.45
29.Buttocks	1	56,382	.02	0	8,924	.00
30.Upper leg	31	56,382	.55	12	8,924	1.34
31.Knee	31	56,382	.55	14	8,924	1.57
32.Patella	0	56,382	.00	3	8,924	.34
33.Lower leg	15	56,382	.27	4	8,924	.45
34.Ankle	37	56,382	.66	11	8,924	1.23
35.Heel/Achilles Tendon	1	56,382	.02	2	8,924	.22
36.Foot	4	56,382	.07	2	8,924	.22
37.Toe(s)	0	56,382	.00	0	8,924	.00
38.Spleen	0	56,382	.00	0	8,924	.00
39.Kidney	0	56,382	.00	0	8,924	.00
40.External genitalia	0	56,382	.00	1	8,924	.11
41.Coccyx	0	56,382	.00	0	8,924	.00
42.Breast	0	56,382	.00	0	8,924	.00
99.Other	1	56,382	.02	0	8,924	.00
TOTALS:	203	56,382	3.60	103	8,924	11.54

NCAA MEN'S LACROSSE INJURY SURVEILLANCE SYSTEM
FOR ACADEMIC YEAR 2003-2004
TOTAL OF ALL SCHOOLS

	# of INJ.	<u>PRACTICE TOTALS</u>		# of INJ.	<u>GAME TOTALS</u>		
		# of EXP.	INJ. RATE		# of EXP.	INJ. RATE	
13. Primary type of injury							
1. Abrasion	0	56,382	.00	0	8,924	.00	
2. Contusion	28	56,382	.50	18	8,924	2.02	
3. Laceration	2	56,382	.04	0	8,924	.00	
4. Puncture wound	0	56,382	.00	0	8,924	.00	
5. Bursitis	1	56,382	.02	0	8,924	.00	
6. Tendinitis	2	56,382	.04	1	8,924	.11	
7. Ligament sprain (incomplete tear)	53	56,382	.94	27	8,924	3.03	
8. Ligament sprain (complete tear)	6	56,382	.11	3	8,924	.34	
9. Muscle-tendon strain (incomplete tear)	56	56,382	.99	20	8,924	2.24	
10. Muscle-tendon strain (complete tear)	2	56,382	.04	0	8,924	.00	
11. Torn cartilage	3	56,382	.05	1	8,924	.11	
12. Hyperextension	0	56,382	.00	0	8,924	.00	
13. AC separation	3	56,382	.05	5	8,924	.56	
14. Dislocation (partial)	2	56,382	.04	2	8,924	.22	
15. Dislocation (complete)	0	56,382	.00	1	8,924	.11	
16. Fracture	5	56,382	.09	14	8,924	1.57	
17. Stress fracture	2	56,382	.04	1	8,924	.11	
18. Concussion	21	56,382	.37	9	8,924	1.01	
19. Heat exhaustion	0	56,382	.00	0	8,924	.00	
20. Heat stroke	0	56,382	.00	0	8,924	.00	
21. Burn	0	56,382	.00	0	8,924	.00	
22. Inflammation	8	56,382	.14	0	8,924	.00	
23. Infection	0	56,382	.00	0	8,924	.00	
24. Hemorrhage	0	56,382	.00	0	8,924	.00	
25. Internal injury (non-hemorrhage)	0	56,382	.00	0	8,924	.00	
26. Nerve injury	2	56,382	.04	0	8,924	.00	
27. Blisters	0	56,382	.00	0	8,924	.00	
28. Boil(s)	0	56,382	.00	0	8,924	.00	
29. Hernia	0	56,382	.00	0	8,924	.00	
30. Foreign object in body orifice	0	56,382	.00	0	8,924	.00	
31. Avulsion (tooth)	0	56,382	.00	0	8,924	.00	
32. Overuse	0	56,382	.00	0	8,924	.00	
99. Other	7	56,382	.12	1	8,924	.11	
	TOTALS:	203	56,382	3.60	103	8,924	11.54
14. Did this injury require surgery?							
1. Yes, in-season	3	56,382	.05	6	8,924	.67	
2. Yes, post-season	4	56,382	.07	5	8,924	.56	
3. No	194	56,382	3.44	89	8,924	9.97	
	TOTALS:	201	56,382	3.56	100	8,924	11.21

